L'Number	Hits	Search Text	DB	Time stamp
-	50	(dynamic\$4 with (allocat\$3 configur\$7 reconfigur\$7 re-configur\$7) with	USPAT;	2004/11/02 09:11
		(cluster\$3 beowulf parallel\$7)) same ((execut\$3 schedul\$3) with	US-PGPUB;	
		(task\$3 process request\$3 quer\$3 job))	ЕРО; ЛРО;	
			DERWENT;	
-		•	IBM_TDB	
-	119	((allocat\$3 configur\$7 reconfigur\$7 re-configur\$7) with (cluster\$3))	USPAT;	2004/11/01 10:07
-		same ((execut\$3 schedul\$3) with (task\$3 request\$3 quer\$3 job))	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	46	((allocat\$3 configur\$7 reconfigur\$7 re-configur\$7) with (cluster\$3))	USPAT;	2004/11/01 11:32
		with ((execut\$3 schedul\$3) with (task\$3 request\$3 quer\$3 job))	US-PGPUB,	,
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	50	(dynamic\$4 with (allocat\$3 configur\$7 reconfigur\$7 re-configur\$7) with	USPAT;	2004/11/01 16:17
		(cluster\$3 beowulf parallel\$7)) same ((execut\$3 schedul\$3) with	US-PGPUB;	
		(task\$3 process request\$3 quer\$3 job))	ЕРО; ЈРО;	ŕ
			DERWENT;	
		'	IBM_TDB	
-	38	(((allocat\$3 configur\$7 reconfigur\$7 re-configur\$7) with (cluster\$3))	USPAT;	2004/11/01 12:55
		with ((execut\$3 schedul\$3) with (task\$3 request\$3 quer\$3 job))) not	US-PGPUB;	
		((dynamic\$4 with (allocat\$3 configur\$7 reconfigur\$7 re-configur\$7)	ЕРО; ЈРО;	
		with (cluster\$3 beowulf parallel\$7)) same ((execut\$3 schedul\$3) with	DERWENT,	
		(task\$3 process request\$3 quer\$3 job)))	IBM_TDB	
-	83	(dynamic\$4 near4 (allocat\$3 configur\$7 reconfigur\$7 re-configur\$7)	USPAT;	2004/11/01 16:15
		near5 (cluster\$3 node\$1 processor parallel\$7)) same ((execut\$3	US-PGPUB,	
		schedul\$3) near5 (task\$3 process request\$3 quer\$3 job))	ЕРО; ЛРО;	
1			DERWENT;	
	*	·	IBM_TDB	
-	78	(dynamic\$4 near4 (configur\$7 reconfigur\$7 re-configur\$7) near5	USPAT,	2004/11/01 17:00
		cluster\$3)	US-PGPUB;	
		, (, ()	EPO; JPO;	-
İ			DERWENT;	
			IBM_TDB	
-	. 5	((dynamic\$4 near4 (configur\$7 reconfigur\$7 re-configur\$7) near5	USPAT;	2004/11/01 16:18
		cluster\$3)) and ((dynamic\$4 parallel\$5) near5 (execut\$3 schedul\$3)	US-PGPUB;	
		near4 (task\$3 process request\$3 quer\$3 job))	EPO; JPO;	
			DERWENT,	
		•	IBM TDB	
-	73	((dynamic\$4 near4 (configur\$7 reconfigur\$7 re-configur\$7) near5	USPĀT;	2004/11/01 16:30
		cluster\$3)) not (((dynamic\$4 near4 (configur\$7 reconfigur\$7	US-PGPUB;	
		re-configur\$7) near5 cluster\$3)) and ((dynamic\$4 parallel\$5) near5	ЕРО; ЈРО;	
		(execut\$3 schedul\$3) near4 (task\$3 process request\$3 quer\$3 job)))	DERWENT;	
			IBM_TDB	
-	0	(dynamic\$4 near4 (configur\$7 reconfigur\$7 re-configur\$7) near5	USPAT;	2004/11/01 17:02
		cluster\$3) with ((responsive respond\$3 associat\$3 correspond\$3) near4	US-PGPUB,	
		(task process job request\$3 quer\$3))	ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	33	(dynamic\$4 same (configur\$7 reconfigur\$7 re-configur\$7) same	USPAT;	2004/11/02 10:21
		cluster\$3) same ((responsive respond\$3 associat\$3 correspond\$3) same	US-PGPUB;	
		(task process job request\$3 quer\$3))	ЕРО; ЛРО;	
	•		DERWENT;	
	_		IBM_TDB	
-	22	(dynamic\$4 same (configur\$7 reconfigur\$7 re-configur\$7) same	USPAT;	2004/11/02 10:44
		cluster\$3) same ((responsive respond\$3 associat\$3 correspond\$3) same	US-PGPUB;	
		(task job request\$3 quer\$3))	EPO; JPO;	
5		\		Ī
			DERWENT;	

-	105	(dynamic\$4 same (configur\$7 reconfigur\$7 re-configur\$7) same	USPAT;	2004/11/02 10:23
		((cluster\$3 parallel\$5 plurality multiple) with (cpu processor node)))	US-PGPUB;	
		same ((responsive respond\$3 associat\$3 correspond\$3) same (task job	ЕРО; ЛРО;	
		request\$3 quer\$3))	DERWENT;	
			IBM_TDB	
-	230	(dynamic\$4 same (configur\$7 reconfigur\$7 re-configur\$7) same	USPAT;	2004/11/02 10:24
		((cluster\$3 parallel\$5 plurality multiple) with (cpu processor node)))	US-PGPUB;	
		same ((receipt receiv\$3 request\$3 responsive respond\$3 associat\$3	ЕРО; ЛРО;	
		correspond\$3) same (task\$3 job request\$3 quer\$3))	DERWENT,	
			IBM TDB	
_	136	(dynamic\$4 same (configur\$7 reconfigur\$7 re-configur\$7) same	USPĀT;	2004/11/02 10:29
		((cluster\$3 parallel\$5 plurality multiple) near4 (cpu processor node)))	US-PGPUB;	
		same ((receipt receiv\$3 request\$3 responsive respond\$3 associat\$3	ЕРО; ЛРО;	
		correspond\$3) same (task\$3 job request\$3 quer\$3))	DERWENT;	1
		correspondes) same (mistos joo requestos queros))	IBM TDB	
	35	(dynamic\$4 same (configur\$7 reconfigur\$7 re-configur\$7) same	USPAT;	2004/11/03 09:33
-	35	cluster\$3) same ((responsive respond\$3 receiv\$3 receipt request\$3	US-PGPUB;	2004/11/05 07.55
		associat\$3 correspond\$3) same (job messag\$3))	ЕРО; ЛРО;	
		associatos correspondos) same (jou messagos))		
			DERWENT;	
		5001204 and (alient and	IBM_TDB	2004/11/02 14:40
-	0	5881284.pn. and (client customer user)	USPAT;	2004/11/02 14:49
			US-PGPUB;	
		,	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	90	beowulf	USPAT;	2004/11/03 09:25
		•	US-PGPUB;	
			ЕРО; ЈРО;	
		,	DERWENT;	
			IBM_TDB	
-	3	beowulf adj system	USPAT;	2004/11/03 09:26
	Ì		US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	93	(dynamic\$4 with (configur\$7 reconfigur\$7 re-configur\$7) with	USPAT,	2004/11/03 09:36
		((group\$3 network) near3 (node computer pc))) same ((particular	US-PGPUB;	
		responsive respond\$3 receiv\$3 receipt request\$3 associat\$3	ЕРО; ЛРО;	
		correspond\$3) same (job messag\$3 task\$3 request\$3))	DERWENT;	
			IBM_TDB	
- ,	58	(dynamic\$4 with (configur\$7 reconfigur\$7 re-configur\$7) with	USPĀT;	2004/11/03 10:05
		((group\$3 network) near3 (node computer pc))) with ((particular	US-PGPUB;	
		responsive respond\$3 receiv\$3 receipt request\$3 associat\$3	ЕРО; ЛРО;	
		correspond\$3) with (job messag\$3 task\$3 request\$3))	DERWENT;	
			IBM_TDB	
-	74	(dynamic\$4 with (configur\$7 reconfigur\$7 re-configur\$7) with	USPAT;	2004/11/03 09:44
		((group\$3 network connect\$3 interconnect\$3) near3 (node computer	US-PGPUB;	
		pc))) with ((particular responsive respond\$3 receiv\$3 receipt request\$3	ЕРО; ЛРО;	
		associat\$3 correspond\$3) with (job messag\$3 task\$3 request\$3))	DERWENT;	
		and a series of the political of the series and	IBM_TDB	
_	15	(dynamic\$4 with (configur\$7 reconfigur\$7 re-configur\$7) with	USPAT;	2004/11/03 09:45
_	''	((group\$3 network connect\$3 interconnect\$3) near3 (node computer	US-PGPUB;	-30
		(groups) network connects interconnects) hears (note compater pc))) with ((particular responsive respond\$3 receiv\$3 receipt request\$3	EPO; JPO;	
		associat\$3 correspond\$3) with (schedul\$3 execut\$3 run\$4 process\$3)	DERWENT;	
		with (job messag\$3 task\$3 request\$3))	IBM_TDB	
	120	(dynamic\$4 with (configur\$7 reconfigur\$7 re-configur\$7) with	USPAT;	2004/11/03 10:06
-	120	((group\$3 network) near3 (node computer pc server))) with ((particular	US-PGPUB;	2007/11/03 10:00
			ЕРО; ЛРО;	1
1		responsive respond\$3 receiv\$3 receipt request\$3 associat\$3	· ·	
		correspond\$3) with (job messag\$3 task\$3 request\$3))	DERWENT;	
1	1		IBM_TDB	

-	123	(dynamic\$4 with (configur\$7 reconfigur\$7 re-configur\$7) with	USPAT;	2004/11/03 10:06
		((group\$3 network) near3 (node computer pc server))) with ((particular	US-PGPUB;	
		responsive respond\$3 receiv\$3 receipt request\$3 associat\$3	ЕРО; ЛРО;	
		correspond\$3) with (transaction job messag\$3 task\$3 request\$3))	DERWENT;	
			IBM_TDB	
-	28	(dynamic\$4 with (configur\$7 re-configur\$7) with	USPAT;	2004/11/03 12:05
		((group\$3 network) near3 (node computer pc server))) with ((particular	US-PGPUB;	
		responsive respond\$3 receiv\$3 receipt request\$3 associat\$3	ЕРО; ЛРО;	
		correspond\$3) with (schedul\$3 execut\$3 run\$4 process\$3) with	DERWENT;	
	2,1	(transaction job messag\$3 task\$3 request\$3))	IBM_TDB USPAT;	2004/11/02 12:42
-	21	(dynamic\$4 with allocat\$3 with ((group\$3 network cluster\$3) with (node computer pc server))) with ((particular responsive respond\$3	US-PGPUB;	2004/11/03 12:42
		receiv\$3 receipt request\$3 associat\$3 correspond\$3) with (schedul\$3	ЕРО; ЛРО;	
		execut\$3 run\$4 process\$3) with (transaction job task\$3 request\$3))	DERWENT;	
		executes rungs processes) with (transaction job taskes requestes))	IBM_TDB	
.	279	(allocat\$3 with ((group\$3 network cluster\$3) with (node computer pc	USPAT;	2004/11/03 12:44
		server))) with ((particular responsive respond\$3 receiv\$3 receipt	US-PGPUB;	200 1/11/03 12:11
		request\$3 associat\$3 correspond\$3) with (schedul\$3 execut\$3 run\$4	ЕРО; ЛРО;	
		process\$3) with (transaction job task\$3 request\$3))	DERWENT;	
			IBM_TDB	
-	142	(allocat\$3 with ((group\$3 network cluster\$3) with (node computer pc	USPAT;	2004/11/04 10:19
		server))) with ((particular responsive respond\$3 receiv\$3 receipt	US-PGPUB;	
		associat\$3 correspond\$3) with (schedul\$3 execut\$3 run\$4 process\$3)	ЕРО; ЛРО;	
		with (transaction job task\$3 request\$3))	DERWENT;	
İ			IBM_TDB	
-	32	((allocat\$3 with ((group\$3 network cluster\$3) with (node computer pc	USPAT;	2004/11/03 13:09
		server))) with ((particular responsive respond\$3 receiv\$3 receipt	US-PGPUB;	
		associat\$3 correspond\$3) with (schedul\$3 execut\$3 run\$4 process\$3)	EPO; JPO;	
		with (transaction job task\$3 request\$3))) and ((determin\$5 estimat\$3	DERWENT;	
]	calculat\$3 compute) with (transaction job task\$3 request\$3) with tim\$3)	IBM_TDB	
-	12	(((allocat\$3 with ((group\$3 network cluster\$3) with (node computer	USPAT;	2004/11/03 13:41
		pc server))) with ((particular responsive respond\$3 receiv\$3 receipt	US-PGPUB;	
		associat\$3 correspond\$3) with (schedul\$3 execut\$3 run\$4 process\$3)	ЕРО; ЛРО;	
		with (transaction job task\$3 request\$3))) and ((determin\$5 estimat\$3	DERWENT;	
]	calculat\$3 compute) with (transaction job task\$3 request\$3) with	IBM_TDB	
	11	tim\$3)) and queu\$3 ((allocat\$3 with ((group\$3 network cluster\$3) with (node computer pc	USPAT;	2004/11/03 13:10
-	11	server))) with ((particular responsive respond\$3 receiv\$3 receipt	US-PGPUB;	2004/11/03 13.10
	1	associat\$3 correspond\$3) with (schedul\$3 execut\$3 run\$4 process\$3)	ЕРО; ЛРО;	
		with (transaction job task\$3 request\$3))) and ((number\$3 siz\$3) near5	DERWENT;	
		(cluster\$3 node computer pc server) with (schedul\$3 execut\$3 run\$4	IBM_TDB	
		process\$3) with (transaction job task\$3 request\$3))		
-	10	((((allocat\$3 with ((group\$3 network cluster\$3) with (node computer	USPAT;	2004/11/03 13:41
		pc server))) with ((particular responsive respond\$3 receiv\$3 receipt	US-PGPUB;	
		associat\$3 correspond\$3) with (schedul\$3 execut\$3 run\$4 process\$3)	ЕРО; ЈРО;	
		with (transaction job task\$3 request\$3))) and ((determin\$5 estimat\$3	DERWENT;	
		calculat\$3 compute) with (transaction job task\$3 request\$3) with	IBM_TDB	
		tim\$3)) and queu\$3) not (((allocat\$3 with ((group\$3 network cluster\$3)		
,		with (node computer pc server))) with ((particular responsive		
		respond\$3 receiv\$3 receipt associat\$3 correspond\$3) with (schedul\$3		
		execut\$3 run\$4 process\$3) with (transaction job task\$3 request\$3))) and		
		((number\$3 siz\$3) near5 (cluster\$3 node computer pc server) with		
		(schedul\$3 execut\$3 run\$4 process\$3) with (transaction job task\$3		
	0	request\$3))) (schedul\$3 evecut\$3 run\$4 process\$3) with (transaction job task\$3	I IQDAT.	2004/11/04 10:22
•	"	(schedul\$3 execut\$3 run\$4 process\$3) with (transaction job task\$3 request\$3) with toleran\$2 with (tim\$3 period\$3) same ((delay\$3 later)	USPAT; US-PGPUB;	2004/11/04 10:23
		with (estimat\$3 expect\$3 calculat\$3) with (tim\$3 period\$3)	EPO; JPO;	
		with (confiding expecting calculating) with (tilling perioding))	DERWENT;	
		·	IBM_TDB	
_	0	(schedul\$3 execut\$3 run\$4 process\$3) with (transaction job task\$3	USPAT;	2004/11/04 10:24
		request\$3) with toleran\$2 with (tim\$3 period\$3) and ((delay\$3 later)	US-PGPUB;	
		with (estimat\$3 expect\$3 calculat\$3) with (tim\$3 period\$3)) same	ЕРО; ЛРО;	
		((customer client user) with (accept\$3))	DERWENT;	
			IBM TDB	
		<u> </u>		L

		(ashadule2 arrante2 mme4	HCDAT.	2004/11/04 10:24
-	0	(schedul\$3 execut\$3 run\$4 process\$3) with (transaction job task\$3 request\$3) with toleran\$2 with (tim\$3 period\$3) and ((delay\$3 later)	USPAT; US-PGPUB;	2004/11/04 10:24
		with (estimat\$3 expect\$3 calculat\$3) with (tim\$3 period\$3)) same	ЕРО; ЛРО;	
		((customer client user) with (accept\$4))	DERWENT;	
		(1 1 1 1 1 2	IBM_TDB	2004/11/04 10:26
-	1	(schedul\$3 execut\$3 run\$4 process\$3) with (transaction job task\$3	USPAT;	2004/11/04 10:26
		request\$3) with toleran\$2 with (tim\$3 period\$3) and ((delay\$3 later)	US-PGPUB;	
	j j	with (estimat\$3 expect\$3 calculat\$3) with (tim\$3 period\$3)) and	EPO; JPO;	
	[((customer client user) with (accept\$4))	DERWENT;	
			IBM_TDB	2004/11/04/10 52
-	0	((customer client user) with (accept\$4)) same (schedul\$3 execut\$3	USPAT;	2004/11/04 10:53
		run\$4 process\$3) with (transaction job task\$3 request\$3) with toleran\$2	US-PGPUB;	
		with (tim\$3 period\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/11/04 10 26
-	34	((customer client user) with (accept\$4)) same ((delay\$3 later) with	USPAT;	2004/11/04 10:26
		(estimat\$3 expect\$3 calculat\$3) with (tim\$3 period\$3))	US-PGPUB;	•
			ЕРО; ЛРО;	
		1	DERWENT;	
			IBM_TDB	0004/71/04:0::
-	12	((customer client user) with (accept\$4)) and (schedul\$3 execut\$3	USPAT;	2004/11/04 10:46
		run\$4 process\$3) with (transaction job task\$3 request\$3) with toleran\$2	US-PGPUB;	
		with (tim\$3 period\$3)	ЕРО; ЛРО;	
			DERWENT;	
	;		IBM_TDB	
-	17	((customer client user) with (schedul\$3 execut\$3 run\$4 process\$3)	USPAT;	2004/11/04 10:48
]	with (transaction job task\$3 request\$3) with toleran\$2 with (tim\$3	US-PGPUB;	
		period\$3))	ЕРО; ЛРО;	
		,	DERWENT;	
			IBM_TDB	
-	33	((customer client user) with (accept\$4)) same (schedul\$3 execut\$3	USPAT;	2004/11/04 11:04
		run\$4 process\$3) with (transaction job task\$3 request\$3) with (limit\$5	US-PGPUB;	
		constraint) with (tim\$3 period\$3)	ЕРО; ЛРО;	
		•	DERWENT;	
	l	(1.1.102 103	IBM_TDB	2004/11/04 12:00
-	34	((customer client user) with (accept\$4)) same (schedul\$3 execut\$3	USPAT;	2004/11/04 12:08
		run\$4 process\$3) with (transaction job task\$3 request\$3) with (limit\$5	US-PGPUB;	
	}	constraint toleran\$2) with (threshold tim\$3 period\$3)	ЕРО; ЛРО;	
		•	DERWENT;	
	002	((1 02 0 (02) 02) (4) (1 1 1 02	IBM_TDB	2004/11/04 12:12
-	883		USPAT;	2004/11/04 12:12
	1	process\$3) with (transaction job task\$3 request\$3)) same bill\$3	US-PGPUB;	
			EPO, JPO; DERWENT;	
			1	
	506	((charg\$3 fee cost\$3 pric\$3) with (schedul\$3 execut\$3 run\$4	IBM_TDB USPAT;	2004/11/04 12:15
-	596			2004/11/04 12.13
		process\$3) with (transaction job task\$3 request\$3)) with bill\$3	US-PGPUB; EPO; JPO;	
			DERWENT;	
	253	((share\$2 for cost\$2 mis\$2) with (schools\$2 assess#2 mis\$4	IBM_TDB	2004/11/04 12:16
-	253	((charg\$3 fee cost\$3 pric\$3) with (schedul\$3 execut\$3 run\$4	USPAT; US-PGPUB;	2004/11/04 12.10
		process\$3) with (transaction job task\$3 request\$3)) with bill\$3 with		
		(customer client user)	EPO; JPO;	
			DERWENT;	
	-	((shara\$2 for cost\$2 prio\$2) with (schodul\$2 oversyt\$2 prio\$4	IBM_TDB	2004/11/04 12:25
-	7	((charg\$3 fee cost\$3 pric\$3) with (schedul\$3 execut\$3 run\$4	USPAT;	2004/11/04 12:25
		process\$3) with (transaction job task\$3 request\$3) with bill\$3 with	US-PGPUB;	
		(customer client user)) same ((send\$3 forward\$3) with (complet\$3	EPO; JPO;	
		finish\$3 result\$3))	DERWENT;	
L	<u> </u>		IBM_TDB	

	11	((charg\$3 fee cost\$3 pric\$3) with (transaction job task\$3) with bill\$3	USPAT;	2004/11/04 12:32
-	11	with (customer client user)) with ((send\$3 forward\$3) with (complet\$3	US-PGPUB;	2004/11/04 12.32
		finish\$3 result\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- .	105	((charg\$3 fee pric\$3) near4 (transaction job task\$3) with (customer	USPAT;	2004/11/04 12:34
	[client user)) with (send\$3 forward\$3)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
_	28	((charg\$3 fee) near4 (transaction job task\$3) near5 (customer client	USPAT;	2004/11/04 12:46
		user)) near5 (send\$3 forward\$3)	US-PGPUB,	
		,	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	·
	27	(((charg\$3 fee) near4 (transaction job task\$3) near5 (customer client	USPAT;	2004/11/04 12:35
-	21	user)) near5 (send\$3 forward\$3)) not ((charg\$3 fee cost\$3 pric\$3)	US-PGPUB;	200 1/11/01 12:55
			ЕРО; ЛРО;	
		with (transaction job task\$3) with bill\$3 with (customer client user))	DERWENT;	
		with ((send\$3 forward\$3) with (complet\$3 finish\$3 result\$3)))	•	•
			IBM_TDB	2004/11/04 12:40
-	1	((charg\$3) near4 (transaction job task\$3) near5 (customer client user))	USPAT;	2004/11/04 12:49
!		near5 (send\$3 forward\$3) with (pric\$3 money fee)	US-PGPUB;	
		'	ЕРО; ЛРО;	
		·	DERWENT;	
1	1		IBM_TDB	
-	11	(charg\$3) near4 (transaction job task\$3) near5 (send\$3 forward\$3)	USPAT;	2004/11/04 13:07
		with (pric\$3 money fee)	US-PGPUB;	
			ЕРО; ЛРО;	
}	ļ '		DERWENT;	
			IBM_TDB	
-	67	(customer client user) near4 (transaction job task\$3) near5 (send\$3	USPAT;	2004/11/04 13:31
		forward\$3) with (pric\$3 money fee)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT,	
			IBM_TDB	
l _	455·	(customer client user) near4 (transaction job) near5 (fee)	USPĀT;	2004/11/04 13:32
		(US-PGPUB;	
	1		ЕРО; ЛРО;	
			DERWENT;	
]			IBM_TDB	
1.	0	(return\$3 forward\$3 send\$3) near4 (customer client user) near4	USPAT;	2004/11/04 13:33
-	"	(transaction job) with (complet\$3 finish\$3) near5 (fee)	US-PGPUB;	250 17 17 07 15.55
[(transaction Joo) with (completes timones) hears (ree)	EPO; JPO;	
		·	DERWENT;	
		·		
[,,,	(IBM_TDB	2004/11/04 12:22
	119	(return\$3 forward\$3 send\$3) same (customer client user) same	USPAT;	2004/11/04 13:33
		(transaction job) same (complet\$3 finish\$3) same (fee)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
,			IBM_TDB	
-	2	(return\$3 forward\$3 send\$3) with (customer client user) with	USPAT;	2004/11/04 13:35
1		(transaction job) with (complet\$3 finish\$3) with (fee)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	7	(return\$3 forward\$3 send\$3) with (customer client user) with	USPAT;	2004/11/04 15:12
		(servic\$3 task\$3 transaction job) with (complet\$3 finish\$3) with (fee)	US-PGPUB,	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
		<u> </u>		<u> </u>

-	788	(customer user client) near4 (servic\$3 transaction job) near4	USPAT;	2004/11/04 15:16
		(complet\$3 finish\$3 tim\$3 period\$3) near4 (cost\$3 charg\$5 fee)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	